RS TOOLING™



CUTTING FLUIDS & OILS

OIL & GAS

STRUCTURAL STEEL

SHIPBUILDING

FABRICATION

ENERGY & RENEWABLES

ENGINEERING

GOLDCUT 310 CUTTING FLUIDS/CUTTING OILS

GoldCut™ 310

SuperCut Red General Cutting Fluid

A modern biostable semi-synthetic metalworking fluid suitable for all general machining operations on general carbon steels. Supercut Red is widely used in smaller sawing operations. Mix 1/10.

Stock Code	Size
10220	25ltr
10237	205ltr

SuperCut Blue HD Cutting Fluid

A modern biostable semi-synthetic metalworking fluid suitable for all general machining operations on ferrous materials and high carbon steels. Supercut Blue is widely used in sawing operations. Mix 1/10.

Stock Code	Size
10200	5ltr
10201	25ltr
10202	205ltr

SuperSaw Premium Cutting Fluid

A semi-synthetic, biocide protected, water soluble cutting fluid, incorporating extreme pressure compounds. Widely used in machining and sawing of hard materials. It is non-staining on most cuprous materials.

Stock Code	Size
10203	5ltr
10204	25ltr
10205	205ltr

Spraymist Coolant

Oil used on spraymist coolant systems on saws etc.
A highly treated neat cutting oil with low viscosity extreme pressure treatment assists good tool life and a cleaner working environment.

Stock Code	Size
10206	5ltr

Broachcool Premium Magnetic Drilling Oil

A new cutting oil with advanced lubrication properties giving considerable extended life to cutters. Particularly good on stainless steel.

Stock Code	Size
10213	500ml



GOLDCUT 310 CUTTING FLUIDS/CUTTING OILS

GoldCut™ 310

Mecutoil 100 - High Performance Cooling Lubricant Concentrate

Excellent and highly productive soluble quality cutting oil for all sawing, milling, tapping, grinding and drilling. Mix 1/10.

Stock Code	Size
10191	2.5ltr

MCT Cutting Drilling and Tapping Fluid - Bottle

Quality cutting fluid to extend the life of cutting tools and provide improved finish, reducing heat and friction.

Stock Code	Size
10209	500ml

CUTTING OILS/HYDRAULIC OILS

Tygris General Cutting & Tapping Spray

Contains extreme pressure additives to reduce tool wear and improve machined finish - for all steels.

Stock Code	Size
10211	400ml

Mecutspray Bio-High Performance Cutting Oil for Difficult Machining

Excellent cutting oil for difficult materials promoting very long tool life, surface quality and anti-corrosive working.

Stock Code	Size
10192	500ml

Mecut Foam High Performance Cooling Lubricant Foam Spray

Excellent foam oil that sticks to the tool preventing dripping or splashing. To be used on all steels for sawing, milling, tapping, grinding and drilling.

Stock Code	Size
10193	400ml

GOLDCUT 310 CUTTING FLUIDS/CUTTING OILS

GoldCut™ 310

Universal Cutting Paste

Premium paste ideal for working under difficult circumstances where the paste sticks to the tool preventing dripping or splashing. For all machining applications on standard and difficult materials.

Stock Code	Size
10194	125g
10195	750g

Mecut Wax High Performance Cooling Lubricant Stick

Premium wax lubricant stick for working under difficult circumstances. The wax sticks to the tool preventing dripping or splashing. For all machining and cutting applications on all materials.

Stock Code	Size
10196	500ml

Slideway Oil

Quality slide way oil used on steelworkers, lathes and mills etc. To prevent friction and chatter of touching surfaces.

Stock Code	Size
10215	5ltr
10216	25ltr

Hydraulic Oil

Hydraulic oils with a wide range of viscosities for most engineering applications. Excellent thermal stability and corrosion protection with low foaming tendency.

Stock Code	Size
10217 - Grade 32	25ltr
10218 - Grade 46	25ltr